


HURRAH!



60" x 72"

Designed by Carl Hentsch

Fabric Requirements

You can give this a great scrappy look by using a variety of 5" squares.

(42) 5" squares Cream, White **or** Off White **or** 7/8 yards

(42) 5" squares Red **or** 7/8 yard

(42) 5" squares Light Blue **or** 7/8 yard

(42) 5" squares Dark Blue **or** 7/8 yard

If you are using yardage, cut into 5" wide strips and then cut into the required number of 5" squares.

Border Fabric Requirements

Inner Border – 1/2 yard red Cut into (6) 2 1/2" strips


Outer Border – 7/8 yard Light Blue Cut into (3) 4 1/2" strips (side Borders) and (3) 6 1/2" strips (top and bottom Borders)


Binding - 1/2 yard cut into (7) 2 1/2 "strips

4 1/2 yards backing

Twin Size Batting

Assembly

1. Draw a diagonal line on each side of the Red 5" squares. 
2. Place a Red square, right side together, on top of a Dark Blue square and sew 1/4" from each side of the drawn line. Cut apart on the drawn line. You will now have 2 half-square triangles.



3. Press towards the Dark Blue. Trim your block to measure 4" square.
4. Complete with all the Red and Dark Blue 5" squares
5. Complete the process above, joining each Light Blue to a Cream Fabric. You will now have.
 - (84) Dark Blue/Red half-square triangle blocks

- (84) Cream/Light Blue half-square triangle blocks
 - Total (168) Half-square triangle blocks.
6. Lay out the blocks according to the quilt diagram on the first page
 7. Sew into rows and then sew the rows together.

Adding the Borders

1. Cut (2) strips in half to yield (4) 2 1/2" x 22" strips
2. Sew these half strips to the end of each of the remaining full strips
3. Measure your quilt from Top to Bottom and cut the borders to length. Attached to the sides of your quilt. Measure your quilt across from side to side and cut the remaining borders to size. Attached to the top and bottom of your quilt. (NOTE: your top and bottom outer borders are wider than your side outer borders)
4. Repeat this method with the Outer border.
5. Cut your backing into (2) 2 1/2 yard lengths and sew the long edges together
6. Attach your binding.